

VIVA  
MADE

Nr. 21

60x120

60x60

30x60

30x120

20x120

15x120

CONCRETE

# Nr. 21

“The secret is to look at ordinary things  
with completely different eyes,,





CEMENTO LAPPATO - 606E8P GREY P.79 - 60x60 (23<sup>5/8</sup>"x23<sup>5/8</sup>")













CEMENTO NATURALE - 986E9R BLACK P.407 - 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")



CEMENTO LAPPATO - 986E8P GREY P.79 - 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")





WHITE P. 329






CEMENTO LAPPATO - 986EOP WHITE P.329 - 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")



CEMENTO NATURALE - 606E1R SAND P.294 - 60x60 (23<sup>5/8</sup>"x23<sup>5/8</sup>")









CEMENTO CASSAFORMA - 536E1GR SAND P.294 - 15x120 (5<sup>7/8</sup>"x47<sup>1/4</sup>")  
CEMENTO NATURALE - 986E1R SAND P.294 - 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")














CEMENTO NATURALE - 986E0R WHITE P.329 - 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")



CEMENTO CASSAFORMA  
536E1GR SAND P.294 - 15x120 (5<sup>7/8</sup>"x47<sup>1/4</sup>")





CEMENTO CASSAFORMA

536E8GR GREY P.79 - 15x120 (5<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")

546E8GR GREY P.79 - 20x120 (7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>") - 556E8GR GREY P.79 - 30x120 (11<sup>3</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")









**CEMENTO CASSAFORMA**  
536E1GR SAND P.294 - 15x120 (5<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>") - 546E1GR SAND P.294 - 20x120 (7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>") - 556E1GR SAND P.294 - 30x120 (11<sup>13</sup>/<sub>16</sub>"x47<sup>1</sup>/<sub>4</sub>")





Campbell's  
CONDENSED  
TOMATO  
SOUP














CEMENTO CASSAFORMA - 536E9GR BLACK P.407 - 15x120 (5<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")



CEMENTO NATURALE  
606E8R GREY P.79 - 60x60 (23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>")  
CEMENTO CASSAFORMA  
536E8GR GREY P.79 - 536E9GR BLACK - 15x120 (5<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")





June 22, 07 a.m  
Home is back,  
dawn is in front of me.  
Finally I got  
a new sight.





**986E0R** White P. 329 Naturale Rett. 84 ■  
**986E0P** White P. 329 Lappato Rett. 87 ■  
60x120\_23<sup>5/8</sup>"x47<sup>1/4</sup>"



**986E1R** Sand P. 294 Naturale Rett. 84 ■  
**986E1P** Sand P. 294 Lappato Rett. 87 ■  
60x120\_23<sup>5/8</sup>"x47<sup>1/4</sup>"



**986E8R** Grey P. 79 Naturale Rett. 84 ■  
**986E8P** Grey P. 79 Lappato Rett. 87 ■  
60x120\_23<sup>5/8</sup>"x47<sup>1/4</sup>"



**986E9R** Black P. 407 Naturale Rett. 84 ■  
**986E9P** Black P. 407 Lappato Rett. 87 ■  
60x120\_23<sup>5/8</sup>"x47<sup>1/4</sup>"



**606E0R** White P. 329 Naturale Rett. 76 ■  
**606E0P** White P. 329 Lappato Rett. 79B ■  
**606E0RZ** White P. 329 Antislip Rett. 76 ■  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>"



**606E1R** Sand P. 294 Naturale Rett. 76 ■  
**606E1P** Sand P. 294 Lappato Rett. 79B ■  
**606E1RZ** Sand P. 294 Antislip Rett. 76 ■  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>"



**606E8R** Grey P. 79 Naturale Rett. 76 ■  
**606E8P** Grey P. 79 Lappato Rett. 79B ■  
**606E8RZ** Grey P. 79 Antislip Rett. 76 ■  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>"




**606E9R** Black P. 407 Naturale Rett. 76 ■  
**606E9P** Black P. 407 Lappato Rett. 79B ■  
**606E9RZ** Black P. 407 Antislip Rett. 76 ■  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>"



**636E0R** White P. 329 Naturale Rett. 76 ■  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>"



**636E1R** Sand P. 294 Naturale Rett. 76 ■  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>"




**636E8R** Grey P. 79 Naturale Rett. 76 ■  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>"



**636E9R** Black P. 407 Naturale Rett. 76 ■  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>"

## Pezzi speciali


OPTION TRIMS - PIECES SPECIALES - FORMTEILE  
PIEZAS ESPECIALES - СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ



GRADONE - STEP

**1C6E0R** White P.329 Nat. Rett.  
**1C6E1R** Sand P.294 Nat. Rett.  
**1C6E8R** Grey P.79 Nat. Rett.  
**1C6E9R** Black P.407 Nat. Rett.


33x60x3,2x3,2\_12<sup>15/16</sup>"x23<sup>5/8</sup>"x1<sup>1/4</sup>"x1<sup>1/4</sup>"  
PCS. BOX 4 79A ■



ANGOLARE - CORNER TILE

**1A6E0R** White P.329 Nat. Rett.  
**1A6E1R** Sand P.294 Nat. Rett.  
**1A6E8R** Grey P.79 Nat. Rett.  
**1A6E9R** Black P.407 Nat. Rett.


33x33x3,2x3,2\_12<sup>15/16</sup>"x12<sup>15/16</sup>"x1<sup>1/4</sup>"x1<sup>1/4</sup>"  
PCS. BOX 2 78 ■



BATTISCOPIA - SKIRTING

**956E0R** White P.329 Nat. Rett.  
**956E1R** Sand P.294 Nat. Rett.  
**956E8R** Grey P.79 Nat. Rett.  
**956E9R** Black P.407 Nat. Rett.

7,3x60\_2<sup>7/8</sup>"x23<sup>5/8</sup>"  
PCS. BOX 10 10 ■





# CEMENTO CASSAFORMA



**556E0GR**  
White P.329 Naturale Rett.  
30x120\_11<sup>13/16</sup> x47<sup>1/4</sup> 85A



**556E1GR**  
Sand P.294 Naturale Rett.  
30x120\_11<sup>13/16</sup> x47<sup>1/4</sup> 85A



**556E8GR**  
Grey P.79 Naturale Rett.  
30x120\_11<sup>13/16</sup> x47<sup>1/4</sup> 85A



**556E9GR**  
Black P.407 Naturale Rett.  
30x120\_11<sup>13/16</sup> x47<sup>1/4</sup> 85A



**536E0GR**  
White P.329 Rett.  
15x120\_5<sup>7/8</sup> x47<sup>1/4</sup> 87



**536E1GR**  
Sand P. 294 Rett.  
15x120\_5<sup>7/8</sup> x47<sup>1/4</sup> 87



**536E8GR**  
Grey P. 79 Rett.  
15x120\_5<sup>7/8</sup> x47<sup>1/4</sup> 87



**536E9GR**  
Black P. 407 Rett.  
15x120\_5<sup>7/8</sup> x47<sup>1/4</sup> 87



**546E0GR**  
White P.329 Naturale Rett.  
20x120\_7<sup>7/8</sup> x47<sup>1/4</sup> 87



**546E1GR**  
Sand P.294 Naturale Rett.  
20x120\_7<sup>7/8</sup> x47<sup>1/4</sup> 87




**546E8GR**  
Grey P.79 Naturale Rett.  
20x120\_7<sup>7/8</sup> x47<sup>1/4</sup> 87




**546E9GR**  
Black P.407 Naturale Rett.  
20x120\_7<sup>7/8</sup> x47<sup>1/4</sup> 87

Si consiglia la posa con fuga 2 mm  
Laying with a 2 mm-joint is recommended

## MOSAICO 21 mix cemento e cassaforma\* - Tessera 4,8x4,8 - Chip 1<sup>7/8</sup> x1<sup>7/8</sup>



**I306E0**  
White P. 329 Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 94



**I306E1**  
Sand P. 294 Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 94




**I306E8**  
Grey P. 79 Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 94




**I306E9**  
Black P. 407 Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 94

## MOSAICO COLORS\* - Tessera 3,1x3,1 - Chip 1<sup>1/4</sup> x1<sup>1/4</sup>



**I306E0G**  
Grey-White Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 97



**I306E1G**  
Grey-Sand Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 97




**I306E9G**  
Grey-Black Nat.  
30x30\_11<sup>13/16</sup> x11<sup>13/16</sup> 97

\* Su rete in fibra - On fibre mesh backing



CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики		NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние		
	<b>PLANARITÀ</b> Flatness - Planéité - Ebenflächigkeit - Planaridad - Плоскостность	UNI EN ISO 10545/2	± 0,26% / ± 1,5 mm		
		ASTM C485 CALIBRATED ± 0,75% (MAX ± 0,09 IN)	-		
		ASTM C485 RECTIFIED ± 0,40% (MAX ± 0,05 IN-SIZE ≤ 60 cm) (MAX ± 0,07 IN-SIZE > 60 cm)	± 0,25%		
	<b>ASSORBIMENTO D'ACQUA (VALORE MEDIO IN %)</b> Water absorption (Average value expressed in %) - Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) Поглощение воды	UNI EN ISO 10545/3 ≤ 0,5 %	CONFOR ME		
		ASTM C373	COMPLIANT		
	<b>RESISTENZA ALLA FLESSIONE</b> Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	UNI EN ISO 10545/4	≥ 50 N/mm <sup>2</sup>		
		<b>FORZA DI ROTTURA</b> Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 250 Lbs	
	<b>RESISTENZA AL GELO</b> Frost resistance - Résistance au gel - Frostbeständigkeit - Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12	CONFORME		
		ASTM C1026	UNAFFECTED		
	<b>RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI</b> Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13	UA - ULA - UHA		
		ASTM C-650	UNAFFECTED		
	<b>RESISTENZA ALLE MACCHIE</b> Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5		
		CTI 81-7D	NO EVIDENT VARIATION		
	<b>COEFFICIENTE DI ATTRITO</b> Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich Coeficiente de atrito medio - Коэффициент трения	DIN 51130	<b>NATURALE</b> R10	<b>LAPPATO</b> -	<b>ANTISLIP</b> R11
		DIN 51097	C (A+B+C)	-	C (A+B+C)
		ANSI A 137.1 - 2012 DCOF (SECTION 9.6)	WET ≥ 0,42	WET ≥ 0,42	WET ≥ 0,42
		B,C,R,A.	≥ 0,40	-	≥ 0,40

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ulteriores informaciones sobre los datos técnicos y la garantía, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



Articolo Item Reference Artikel Artículo Артикула	Formato (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Spessore (mm) Thickness (mm) Epaisseur (mm) Stärke (mm) Espesor (mm) Толщина (mm)	Pz. x Mq. Pieces x Sqm Pcs / M <sup>2</sup> Stk. x Qm Pzs x Mc. Шт. x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт. x Кор.	Mq. x Scat. Sqm x Box M <sup>2</sup> / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. (Kg) Weight x Box (Kg) Poids / Bte (Kg) Gewicht x Krt. (Kg) Peso x Caja (Kg) Вес x Кор. (Kg)	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M <sup>2</sup> / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. (Kg) Weight x Pal. (Kg) Poids / Pal. (Kg) Gewicht x Pal. (Kg) Peso x Pal. (Kg) Вес x Подд (Kg)
986E_R/P	60x120	10	1,39	2	1,440	35,00	22	31,68	770
606E_R/P/RZ	60x60	10	2,78	3	1,080	25,00	40	43,20	1000
636E_R	30x60	10	5,56	6	1,080	25,00	40	43,20	1000
556E_GR	30x120	10	2,78	4	1,440	34,40	36	51,84	1238
546E_GR	20x120	10	4,17	4	0,960	23,50	40	38,40	940
536E_GR	15x120	10	5,56	6	1,080	25,00	42	45,36	1050
1306E_ 1306E_G	30x30	10	11,11	5	0,450	10,30	60	27,00	618





Viva Made is a brand of Emilceramica S.r.l. a socio unico	Sede commerciale/amministrativa
<a href="http://emilgroup.it/viva">emilgroup.it/viva</a> <a href="http://emilgroup.it">emilgroup.it</a>	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) - Italy T +39 0536 835111 - <a href="mailto:info@emilceramicgroup.it">info@emilceramicgroup.it</a> F (Italy) +39 0536 835958 - (Export) +39 0536 835490

